


" **Canto Engineering Company** " is a leading concern engaged in the manufacturing and marketing Mechanical Power Transmission products. With the motto of offering advanced technology products at economical prices, we are marching ahead in the industry with a pragmatic approach and customer oriented methodology. We offer an 'Unparalleled Quality' product and unprecedented choice in selecting the right solution to match specific application requirements. Our Manufacturing program includes **Torsional Flexible Coupling (Curved Jaw), Helical/Spiral coupling, Key less Shaft-Hub locking elements, Timing Pulleys, Spur gear, Helical gear, Bevel Gear, V-Belts, Timing Belts, Chain Sprockets.**

We are a quality conscious organization backed by latest technologically based manufacturing setup that strives to match our entire range of mechanical power transmission products with the international standards prescribed by the industry. These factors combined with our ethical business practices have helped us in addressing the demands of reputed names of the market.

TIMING PULLEY



FOR ALL TYPES REFER ABOVE DRAWING

A) Tooth Style :- HTD 3mm pitch

Width of Belt:- 6 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10-3M06M6CA3	10	6C	3	9.6	8.8	12.8		14.5	7.2	12.8
11-3M06M6CA3	11	6C	3	10.5	9.7	13.5		14.5	7.2	13.5
12-3M06M6CA4	12	6C	4	11.5	10.7	14.7		14.5	7.2	14.7
13-3M06M6CA4	13	6C	4	12.4	11.6	15.5		14.5	7.2	15.5
14-3M06M6CA6	14	6C	6	13.4	12.6	16.1		14.5	7.2	16.1
15-3M06M6CA6	15	6C	6	14.3	13.5	17.4		14.5	7.2	17.4
16-3M06M6CA6	16	6C	6	15.3	14.5	18		14.5	7.2	18
17-3M06M6CA6	17	6C	6	16.2	15.4	18.8		14.5	7.2	18.8
18-3M06M6FA6	18	6F	6	17.2	16.4	20	9.8	17.5	7.2	11.2
19-3M06M6FA6	19	6F	6	18.2	17.4	20.7	9.8	17.5	7.2	11.9
20-3M06M6FA6	20	6F	6	19.1	18.3	22.7	9.8	17.5	7.2	12.7
22-3M06M6FA6	22	6F	6	21	20.2	24	9.8	17.5	7.2	14.3
24-3M06M6FA6	24	6F	6	22.9	22.1	26	9.8	17.5	7.2	15.9
25-3M06M6FA6	25	6F	6	23.9	23.1	26.9	9.8	17.5	7.2	15.9
26-3M06M6FA6	26	6F	6	24.8	24	28.1	9.8	17.5	7.2	15.9
28-3M06M6FA6	28	6F	6	26.8	26	29.8	9.8	17.5	7.2	17.8
30-3M06M6FA6	30	6F	6	28.7	27.9	31.8	9.8	17.5	7.2	19.7
32-3M06M6FA6	32	6F	6	30.6	29.8	33.6	9.8	17.5	7.2	21.6
34-3M06M6FA6	34	6F	6	32.5	31.7	35.5	10.3	18.3	7.2	23.4
36-3M06M6FA6	36	6F	6	34.4	33.6	37.4	10.3	18.3	7.2	25.4
38-3M06M6FA6	38	6F	6	36.3	35.5	39.4	10.3	18.3	7.2	27.3
40-3M06M6FA6	40	6F	6	38.2	37.4	41.3	10.3	18.3	7.2	29.2
44-3M06M6FA6	44	6F	6	42	41.2	45.1	10.3	18.3	7.2	33
18-3M06M6A6	18	6	6	17.2	16.4		9.8	17.5	6	11.2
19-3M06M6A6	19	6	6	18.2	17.4		9.8	17.5	6	11.9
20-3M06M6A6	20	6	6	19.1	18.3		9.8	17.5	6	12.7
22-3M06M6A6	22	6	6	21	20.2		9.8	17.5	6	14.3
24-3M06M6A6	24	6	6	22.9	21.1		9.8	17.5	6	15.9
25-3M06M6A6	25	6	6	23.9	23.1		9.8	17.5	6	15.9
26-3M06M6A6	26	6	6	24.8	24		9.8	17.5	6	15.9
28-3M06M6A6	28	6	6	26.8	26		9.8	17.5	6	17.8

30-3M06M6A6	30	6	6	28.7	27.9		9.8	17.5	6	19.7
32-3M06M6A6	32	6	6	30.6	29.8		9.8	17.5	6	21.6
34-3M06M6A6	34	6	6	32.5	31.7		10.3	18.3	6	23.4
36-3M06M6A6	36	6	6	34.4	33.6		10.3	18.3	6	25.4
38-3M06M6A6	38	6	6	36.3	35.5		10.3	18.3	6	27.3
40-3M06M6A6	40	6	6	38.2	37.4		10.3	18.3	6	29.2
44-3M06M6A6	44	6	6	42	41.2		10.3	18.3	6	33
48-3M06M6A8	48	6	8	45.8	45		10.3	18.6	6	31.8
50-3M06M6A8	50	6	8	47.8	47		10.3	18.6	6	31.8
56-3M06M6A8	56	6	8	53.5	52.7		10.3	18.6	6	31.8
60-3M06M6A8	60	6	8	57.3	56.5		10.3	18.6	6	31.8
62-3M06M6A8	62	6	8	59.2	58.4		10.3	18.6	6	31.8
72-3M06M6A8	72	6	8	68.8	68		10.3	18.6	6	31.8

B) Tooth Style :- HTD 3mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10-3M09M6CA3	10	6C	3	9.6	8.8	12.8		17.5	10.2	12.8
11-3M09M6CA3	11	6C	3	10.5	9.7	13.5		17.5	10.2	13.5
12-3M09M6CA4	12	6C	4	11.5	10.7	14.7		17.5	10.2	14.7
13-3M09M6CA4	13	6C	4	12.4	11.6	15.5		17.5	10.2	15.5
14-3M09M6CA6	14	6C	6	13.4	12.6	16.1		17.5	10.2	16.1
15-3M09M6CA6	15	6C	6	14.3	13.5	17.4		17.5	10.2	17.4
16-3M09M6CA6	16	6C	6	15.3	14.5	18		17.5	10.2	18
17-3M09M6CA6	17	6C	6	16.2	15.4	18.8		17.5	10.2	18.8
18-3M09M6FA6	18	6F	6	17.2	16.4	20	12.8	20.6	10.2	11.2
19-3M09M6FA6	19	6F	6	18.2	17.4	20.7	12.8	20.6	10.2	11.9
20-3M09M6FA6	20	6F	6	19.1	18.3	22.7	12.8	20.6	10.2	12.7
22-3M09M6FA6	22	6F	6	21	20.2	24	12.8	20.6	10.2	14.3
24-3M09M6FA6	24	6F	6	22.9	22.1	26	12.8	20.6	10.2	15.9
25-3M09M6FA6	25	6F	6	23.9	23.1	26.9	12.8	20.6	10.2	15.9
26-3M09M6FA6	26	6F	6	24.8	24	28.1	12.8	20.6	10.2	15.9
28-3M09M6FA6	28	6F	6	26.8	26	29.8	12.8	20.6	10.2	17.8
30-3M09M6FA6	30	6F	6	28.7	27.9	31.8	12.8	20.6	10.2	19.7
32-3M09M6FA6	32	6F	6	30.6	29.8	33.6	12.8	20.6	10.2	21.6

34-3M09M6FA6	34	6F	6	32.5	31.7	35.5	13.4	21.4	10.2	23.4
36-3M09M6FA6	36	6F	6	34.4	33.6	37.4	13.4	21.4	10.2	25.4
38-3M09M6FA6	38	6F	6	36.3	35.5	39.4	13.4	21.4	10.2	27.3
40-3M09M6FA6	40	6F	6	38.2	37.4	41.3	13.4	21.4	10.2	29.2
44-3M09M6FA6	44	6F	6	42	41.2	45.1	13.4	21.4	10.2	33
18-3M09M6A6	18	6	6	17.2	16.4		12.8	20.6	9	11.2
19-3M09M6A6	19	6	6	18.2	17.4		12.8	20.6	9	11.9
20-3M09M6A6	20	6	6	19.1	18.3		12.8	20.6	9	12.7
22-3M09M6A6	22	6	6	21	20.2		12.8	20.6	9	14.3
24-3M09M6A6	24	6	6	22.9	22.1		12.8	20.6	9	15.9
25-3M09M6A6	25	6	6	23.9	23.1		12.8	20.6	9	15.9
26-3M09M6A6	26	6	6	24.8	24		12.8	20.6	9	15.9
28-3M09M6A6	28	6	6	26.8	26		12.8	20.6	9	17.8
30-3M09M6A6	30	6	6	28.7	27.9		12.8	20.6	9	19.7
32-3M09M6A6	32	6	6	30.6	29.8		12.8	20.6	9	21.6
34-3M09M6A6	34	6	6	32.5	31.7		13.4	21.4	9	23.4
36-3M09M6A6	36	6	6	34.4	33.6		13.4	21.4	9	25.4
38-3M09M6A6	38	6	6	36.3	35.5		13.4	21.4	9	27.3
40-3M09M6A6	40	6	6	38.2	37.4		13.4	21.4	9	29.2
44-3M09M6A6	44	6	6	42	41.2		13.4	21.4	9	33
48-3M09M6A8	48	6	8	45.8	45		12.7	22.2	9	31.8
50-3M09M6A8	50	6	8	47.8	47		12.7	22.2	9	31.8
56-3M09M6A8	56	6	8	53.5	52.7		12.7	22.2	9	31.8
60-3M09M6A8	60	6	8	57.3	56.5		12.7	22.2	9	31.8
62-3M09M6A8	62	6	8	59.2	58.4		12.7	22.2	9	31.8
72-3M09M6A8	72	6	8	68.8	68		12.7	22.2	9	31.8

C) Tooth Style :- HTD 5mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
12-5M09M6FA6	12	6F	6	19.1	18	22.2	13.9	20.2	10.6	11.1
13-5M09M6FA6	13	6F	6	20.7	19.6	23.8	13.9	20.2	10.6	12.7
14-5M09M6FA6	14	6F	6	22.2	21.1	25.4	13.9	20.2	10.6	12.7
15-5M09M6FA6	15	6F	6	23.8	22.7	27	13.9	20.2	10.6	14.3
16-5M09M6FA6	16	6F	6	25.4	24.3	27.8	13.9	20.2	10.6	14.3

17-5M09M6FA8	17	6F	8	27	25.9	30.2	13.9	20.2	10.6	15.9
18-5M09M6FA8	18	6F	8	28.6	27.5	31.8	13.9	20.2	10.6	17.5
19-5M09M6FA8	19	6F	8	30.2	29.1	33.3	13.9	20.2	10.6	19.1
20-5M09M6FA8	20	6F	8	31.8	30.7	34.9	13.9	20.2	10.6	20.6
22-5M09M6FA8	22	6F	8	35	33.9	38.1	13.9	20.2	10.6	23.8
24-5M09M6FA8	24	6F	8	38.2	37.1	41.3	13.9	21.8	10.6	25.4
25-5M09M6FA8	25	6F	8	39.8	38.7	42.9	13.9	21.8	10.6	25.4
26-5M09M6FA8	26	6F	8	41.4	40.2	44.5	13.9	21.8	10.6	27
28-5M09M6FA8	28	6F	8	44.5	43.4	47.6	13.9	21.8	10.6	30.2
30-5M09M6FA8	30	6F	8	47.8	46.6	50.8	13.9	21.8	10.6	30.2
32-5M09M6FA8	32	6F	8	50.9	49.8	54	13.9	21.8	10.6	31.8
34-5M09M6FA8	34	6F	8	54.1	53	57.2	13.9	21.8	10.6	35
12-5M09M6A6	12	6	6	19.1	18		13.9	20.2	9	11.1
13-5M09M6A6	13	6	6	20.7	19.6		13.9	20.2	9	12.7
14-5M09M6A6	14	6	6	22.2	21.1		13.9	20.2	9	12.7
15-5M09M6A6	15	6	6	23.8	22.7		13.9	20.2	9	14.3
16-5M09M6A6	16	6	6	25.4	24.3		13.9	20.2	9	14.3
17-5M09M6A8	17	6	8	27	25.9		13.9	20.2	9	15.9
18-5M09M6A8	18	6	8	28.6	27.5		13.9	20.2	9	17.5
19-5M09M6A8	19	6	8	30.2	29.1		13.9	20.2	9	19.1
20-5M09M6A8	20	6	8	31.8	30.7		13.9	20.2	9	20.6
22-5M09M6A8	22	6	8	35	33.9		13.9	20.2	9	23.8
24-5M09M6A8	24	6	8	38.2	37.1		13.9	21.8	9	25.4
25-5M09M6A8	25	6	8	39.8	38.7		13.9	21.8	9	25.4
26-5M09M6A8	26	6	8	41.4	40.2		13.9	21.8	9	27
28-5M09M6A8	28	6	8	44.5	43.4		13.9	21.8	9	30.2
30-5M09M6A8	30	6	8	47.8	46.6		13.9	21.8	9	30.2
32-5M09M6A8	32	6	8	50.9	49.8		13.9	21.8	9	31.8
34-5M09M6A8	34	6	8	54.1	53		13.9	21.8	9	35
36-5M09M6A10	36	6	10	57.3	56.2		13.9	23.8	9	38.1
38-5M09M6A10	38	6	10	60.5	59.3		13.9	23.8	9	38.1
40-5M09M6A10	40	6	10	63.6	62.5		13.9	23.8	9	38.1
44-5M09M6A10	44	6	10	70	68.9		13.9	23.8	9	38.1
48-5M09M6A12	48	6	12	76.4	75.3		13.9	23.8	9	38.1
50-5M09M6A12	50	6	12	79.6	78.4		13.9	23.8	9	38.1
56-5M09M6A12	56	6	12	89.1	88		13.9	23.8	9	38.1

60-5M09M6A12	60	6	12	95.5	94.4		13.9	23.8	9	38.1
62-5M09M6A12	62	6	12	98.7	97.5		13.9	23.8	9	38.1
70-5M09M6A12	70	6	12	111.4	110.3		13.9	23.8	9	38.1
72-5M09M6A12	72	6	12	114.6	113.5		13.9	23.8	9	38.1

D) Tooth Style :- HTD 5mm pitch Width of Belt:- 15 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
12-5M15M6FA6	12	6F	6	19.1	18	22.2	19.8	26.2	16.5	11.1
13-5M15M6FA6	13	6F	6	20.7	19.6	23.8	19.8	26.2	16.5	12.7
14-5M15M6FA6	14	6F	6	22.2	21.1	25.4	19.8	26.2	16.5	12.7
15-5M15M6FA6	15	6F	6	23.8	22.7	27	19.8	26.2	16.5	14.3
16-5M15M6FA6	16	6F	6	25.4	24.3	27.8	19.8	26.2	16.5	14.3
17-5M15M6FA8	17	6F	8	27	25.9	30.2	19.8	26.2	16.5	15.9
18-5M15M6FA8	18	6F	8	28.6	27.5	31.8	19.8	26.2	16.5	17.5
19-5M15M6FA8	19	6F	8	30.2	29.1	33.3	19.8	26.2	16.5	19.1
20-5M15M6FA8	20	6F	8	31.8	30.7	34.9	19.8	26.2	16.5	20.6
22-5M15M6FA8	22	6F	8	35	33.9	38.1	19.8	26.2	16.5	23.8
24-5M15M6FA8	24	6F	8	38.2	37.1	41.3	19.8	27.8	16.5	25.4
25-5M15M6FA8	25	6F	8	39.8	38.7	42.9	19.8	27.8	16.5	25.4
26-5M15M6FA8	26	6F	8	41.4	40.2	44.5	19.8	27.8	16.5	27
28-5M15M6FA8	28	6F	8	44.5	43.4	47.6	19.8	27.8	16.5	30.2
30-5M15M6FA8	30	6F	8	47.8	46.6	50.8	19.8	27.8	16.5	30.2
32-5M15M6FA8	32	6F	8	50.9	49.8	54	19.8	27.8	16.5	31.8
34-5M15M6FA8	34	6F	8	54.1	53	57.2	19.8	27.8	16.5	35
12-5M15M6A6	12	6	6	19.1	18		19.8	26.2	15	11.1
13-5M15M6A6	13	6	6	20.7	19.6		19.8	26.2	15	12.7
14-5M15M6A6	14	6	6	22.2	21.1		19.8	26.2	15	12.7
15-5M15M6A6	15	6	6	23.8	22.7		19.8	26.2	15	14.3
16-5M15M6A6	16	6	6	25.4	24.3		19.8	26.2	15	14.3
17-5M15M6A8	17	6	8	27	25.9		19.8	26.2	15	15.9
18-5M15M6A8	18	6	8	28.6	27.5		19.8	26.2	15	17.5
19-5M15M6A8	19	6	8	30.2	29.1		19.8	26.2	15	19.1
20-5M15M6A8	20	6	8	31.8	30.7		19.8	26.2	15	20.6
22-5M15M6A8	22	6	8	35	33.9		19.8	26.2	15	23.8

24-5M15M6A8	24	6	8	38.2	37.1		19.8	27.8	15	25.4
25-5M15M6A8	25	6	8	39.8	38.7		19.8	27.8	15	25.4
26-5M15M6A8	26	6	8	41.4	40.2		19.8	27.8	15	27
28-5M15M6A8	28	6	8	44.5	43.4		19.8	27.8	15	30.2
30-5M15M6A8	30	6	8	47.8	46.6		19.8	27.8	15	30.2
32-5M15M6A8	32	6	8	50.9	49.8		19.8	27.8	15	31.8
34-5M15M6A8	34	6	8	54.1	53		19.8	27.8	15	35
36-5M15M6A10	36	6	10	57.3	56.2		19.8	30.1	15	38.1
38-5M15M6A10	38	6	10	60.5	59.3		19.8	30.1	15	38.1
40-5M15M6A10	40	6	10	63.6	62.5		19.8	30.1	15	38.1
44-5M15M6A10	44	6	10	70	68.9		19.8	30.1	15	38.1
48-5M15M6A12	48	6	12	76.4	75.3		19.8	30.1	15	38.1
50-5M15M6A12	50	6	12	79.6	78.4		19.8	30.1	15	38.1
56-5M15M6A12	56	6	12	89.1	88		19.8	30.1	15	38.1
60-5M15M6A12	60	6	12	95.5	94.4		19.8	30.1	15	38.1
62-5M15M6A12	62	6	12	98.7	97.5		19.8	30.1	15	38.1
70-5M15M6A12	70	6	12	111.4	110.3		19.8	30.1	15	38.1
72-5M15M6A12	72	6	12	114.6	113.5		19.8	30.1	15	38.1

E) Tooth Style :- MXL 2.03mm pitch Width of Belt:- 3 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10MP012M6CA3	10	6C	3	6.5	6	10.8		11.1	4	10.8
11MP012M6CA3	11	6C	3	7.1	6.6	11.4		11.1	4	11.4
12MP012M6CA3	12	6C	3	7.8	7.3	12.2		11.1	4	12.2
14MP012M6CA3	14	6C	3	9.1	8.6	13.5		11.1	4	13.5
15MP012M6CA5	15	6C	5	9.7	9.2	14.1		11.1	4	14.1
16MP012M6CA5	16	6C	5	10.3	9.8	14.7		11.1	4	14.7
18MP012M6FA5	18	6F	5	11.6	11.1	16.1		12.3	4	7.9
20MP012M6FA5	20	6F	5	12.9	12.4	17.4	6.6	12.3	4	9.2
21MP012M6FA5	21	6F	5	13.6	13.1	18	6.6	12.3	4	9.9
22MP012M6FA5	22	6F	5	14.2	13.7	18.8	6.6	12.3	4	9.9
24MP012M6FA6	24	6F	6	15.5	15	20.1	6.6	13.1	4	11.2
28MP012M6FA6	28	6F	6	18.1	17.6	22.7	6.6	13.1	4	12.5
30MP012M6FA6	30	6F	6	19.4	18.9	24	6.6	13.1	4	13.9

32MP012M6FA6	32	6F	6	20.7	20.2	25.4	6.6	13.1	4	15.2
36MP012M6FA6	36	6F	6	23.3	22.8	28.1	6.6	13.1	4	17.2
40MP012M6FA6	40	6F	6	25.9	25.4	30.7	7	13.5	4	19.2
42MP012M6FA6	42	6F	6	27.2	26.7	32	7	13.5	4	20.5
44MP012M6FA6	44	6F	6	28.5	28	33.4	7	13.5	4	21.8
48MP012M6FA6	48	6F	6	31	30.5	36.1	7	13.5	4	23.8
60MP012M6FA6	60	6F	6	38.8	38.3	43.9	7	13.5	4	31

F) Tooth Style :- MXL 2.03mm pitch Width of Belt:- 6 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10MP025M6CA3	10	6C	3	6.5	6	10.8		14.3	7.2	10.8
11MP025M6CA3	11	6C	3	7.1	6.6	11.4		14.3	7.2	11.4
12MP025M6CA3	12	6C	3	7.8	7.3	12.2		14.3	7.2	12.2
14MP025M6CA3	14	6C	3	9.1	8.6	13.5		14.3	7.2	13.5
15MP025M6CA4	15	6C	4	9.7	9.2	14.1		14.3	7.2	14.1
16MP025M6CA4	16	6C	4	10.3	9.8	14.7		14.3	7.2	14.7
18MP025M6FA4	18	6F	4	11.6	11.1	16.1	9.9	15.9	7.2	7.9
18MP025M6CA6	18	6C	6	11.6	11.1	16.1		14.3	7.2	16.1
20MP025M6FA4	20	6F	4	12.9	12.4	17.4	9.9	15.9	7.2	9.2
20MP025M6CA6	20	6C	6	12.9	12.4	17.4		14.3	7.2	17.4
21MP025M6FA4	21	6F	4	13.6	13.1	18	9.9	15.9	7.2	9.9
21MP025M6CA6	21	6C	6	13.6	13.1	18		14.3	7.2	18
22MP025M6FA4	22	6F	4	14.2	13.7	18.8	9.9	15.9	7.2	9.9
22MP025M6CA6	22	6C	6	14.2	13.7	18.8		14.3	7.2	18.8
24MP025M6FA6	24	6F	6	15.5	15	20.1	9.9	17.5	7.2	11.2
25MP025M6FA6	25	6F	6	16.2	15.7	20.7	9.9	17.5	7.2	11.9
28MP025M6FA6	28	6F	6	18.1	17.6	22.7	9.9	17.5	7.2	12.5
30MP025M6FA6	30	6F	6	19.4	18.9	24	9.9	17.5	7.2	13.9
32MP025M6FA6	32	6F	6	20.7	20.2	25.4	9.9	17.5	7.2	15.2
36MP025M6FA6	36	6F	6	23.3	22.8	28.1	9.9	17.5	7.2	17.2
40MP025M6FA6	40	6F	6	25.9	25.4	30.7	10.3	18.3	7.2	19.2
42MP025M6FA6	42	6F	6	27.2	26.7	32	10.3	18.3	7.2	20.5
44MP025M6FA6	44	6F	6	28.5	28	33.4	10.3	18.3	7.2	21.8
48MP025M6FA6	48	6F	6	31	30.5	36.1	10.3	18.3	7.2	23.8

60MP025M6FA6	60	6F	6	38.8	38.3	43.9	10.3	18.3	7.2	31
60MP025M6A6	60	6	6	38.8	38.3			19.1	9.5	29.2
72MP025M6A6	72	6	6	46.6	46.1			19.1	9.5	30.4
80MP025M6A8	80	6	8	51.7	51.2			19.1	9.5	38.1
90MP025M6A8	90	6	8	58.2	57.7			19.1	9.5	38.1
100MP025M6A8	100	6	8	64.7	64.2			19.1	9.5	38.1
120MP025M6A10	120	6	10	77.6	77.1			19.1	9.5	38.1

G) Tooth Style :- MXL 2.03mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10MP037M6CA3	10	6C	3	6.5	6	10.8		17.5	10.4	10.8
11MP037M6CA3	11	6C	3	7.1	6.6	11.4		17.5	10.4	11.4
12MP037M6CA3	12	6C	3	7.8	7.3	12.2		17.5	10.4	12.2
14MP037M6CA3	14	6C	3	9.1	8.6	13.5		17.5	10.4	13.5
15MP037M6CA4	15	6C	4	9.7	9.2	14.1		17.5	10.4	14.1
16MP037M6CA4	16	6C	4	10.3	9.8	14.7		17.5	10.4	14.7
18MP037M6FA4	18	6F	4	11.6	11.1	16.1	13.1	19.1	10.4	7.9
18MP037M6CA6	18	6C	6	11.6	11.1	16.1		17.5	10.4	16.1
20MP037M6FA4	20	6F	4	12.9	12.4	17.4	13.1	19.1	10.4	9.2
20MP037M6CA6	20	6C	6	12.9	12.4	17.4		17.5	10.4	17.4
21MP037M6FA4	21	6F	4	13.6	13.1	18	13.1	19.1	10.4	9.9
21MP037M6CA6	21	6C	6	13.6	13.1	18		17.5	10.4	18
22MP037M6FA4	22	6F	4	14.2	13.7	18.8	13.1	19.1	10.4	9.9
22MP037M6CA6	22	6C	6	14.2	13.7	18.8		17.5	10.4	18.8
24MP037M6FA6	24	6F	6	15.5	15	20.1	13.1	20.6	10.4	11.2
25MP037M6FA6	25	6F	6	16.2	15.7	20.7	13.1	20.6	10.4	11.9
28MP037M6FA6	28	6F	6	18.1	17.6	22.7	13.1	20.6	10.4	12.5
30MP037M6FA6	30	6F	6	19.4	18.9	24	13.1	20.6	10.4	13.9
32MP037M6FA6	32	6F	6	20.7	20.2	25.4	13.1	20.6	10.4	15.2
36MP037M6FA6	36	6F	6	23.3	28.8	28.1	13.1	20.6	10.4	17.2
40MP037M6FA6	40	6F	6	25.9	25.4	30.7	13.5	21.4	10.4	19.2
42MP037M6FA6	42	6F	6	27.2	26.7	32	13.5	21.4	10.4	20.5
44MP037M6FA6	44	6F	6	28.5	28	33.4	13.5	21.4	10.4	21.8
48MP037M6FA6	48	6F	6	31	30.5	36.1	13.5	21.4	10.4	23.8

60MP037M6FA6	60	6F	6	38.8	38.3	43.9	13.5	21.4	10.4	31
60MP037M6A6	60	6	6	38.8	38.3			22.2	12.7	29.2
72MP037M6A6	72	6	6	46.6	46.1			22.2	12.7	30.4
80MP037M6A8	80	6	8	51.7	51.2			22.2	12.7	38.1
90MP037M6A8	90	6	8	58.2	57.7			22.2	12.7	38.1
100MP037M6A8	100	6	8	64.7	64.2			22.2	12.7	38.1
120MP037M6A10	120	6	10	77.6	77.1			22.2	12.7	38.1

H) Tooth Style :-XL 5.08mm pitch Width of Belt:- 6 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10XL025M6FA6	10	6F	6	16.2	15.7	22	11.1	17.5	7.9	10
11XL025M6FA6	11	6F	6	17.8	17.3	24	11.1	17.5	7.9	11
12XL025M6FA6	12	6F	6	19.4	18.9	25	11.1	17.5	7.9	13
14XL025M6FA8	14	6F	8	22.6	22.1	28	11.1	17.5	7.9	14
15XL025M6FA8	15	6F	8	24.3	23.7	30	11.1	17.5	7.9	16
16XL025M6FA8	16	6F	8	25.9	25.4	32	11.1	17.5	7.9	17
18XL025M6FA8	18	6F	8	29.1	28.6	35	11.1	17.5	7.9	21
20XL025M6FA8	20	6F	8	32.3	31.8	38	11.1	19.1	7.9	24
22XL025M6FA8	22	6F	8	35.6	35.1	41	11.1	19.1	7.9	25
24XL025M6FA8	24	6F	8	38.8	38.3	44	11.1	19.8	7.9	27
28XL025M6FA8	28	6F	8	45.3	44.8	51	11.1	19.8	7.9	30
30XL025M6FA8	30	6F	8	48.5	48	54	11.1	19.8	7.9	33

I) Tooth Style :-XL 5.08mm pitch Width of Belt:- 9 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
10XL037M6FA6	10	6F	6	16.2	15.7	22	14.2	20.6	10.9	10
11XL037M6FA6	11	6F	6	17.8	17.3	24	14.2	20.6	10.9	11
12XL037M6FA6	12	6F	6	19.4	18.9	25	14.2	20.6	10.9	13
14XL037M6FA8	14	6F	8	22.6	22.1	28	14.2	20.6	10.9	14
15XL037M6FA8	15	6F	8	24.3	23.7	30	14.2	20.6	10.9	16
16XL037M6FA8	16	6F	8	25.9	25.4	32	14.2	20.6	10.9	17

18XL037M6FA8	18	6F	8	29.1	28.6	35	14.2	20.6	10.9	21
20XL037M6FA8	20	6F	8	32.3	31.8	38	14.2	22.2	10.9	24
22XL037M6FA8	22	6F	8	25.6	35.1	41	14.2	22.2	10.9	25
24XL037M6FA8	24	6F	8	38.8	38.3	44	14.2	22.2	10.9	27
28XL037M6FA8	28	6F	8	45.36	44.8	51	14.2	23	10.9	30
30XL037M6FA10	30	6F	10	48.5	48	54	14.2	23	10.9	33
32XL037M6FA12	32	6F	12	51.7	51.2	57	14.2	23	10.9	37
10XL037M3FA6	10	3F	6	16.2	15.7	22	14.2	14.2	10.9	
11XL037M3FA6	11	3F	6	17.8	17.3	24	14.2	14.2	10.9	
12XL037M3FA6	12	3F	6	19.4	18.9	25	14.2	14.2	10.9	
14XL037M3FA8	14	3F	8	22.6	22.1	28	14.2	14.2	10.9	
15XL037M3FA8	15	3F	8	24.3	23.7	30	14.2	14.2	10.9	
16XL037M3FA8	16	3F	8	25.9	25.4	32	14.2	14.2	10.9	
18XL037M3FA8	18	3F	8	29.1	28.6	35	14.2	14.2	10.9	
20XL037M3FA8	20	3F	8	32.3	31.8	38	14.2	14.2	10.9	
22XL037M3FA8	22	3F	8	35.6	35.1	41	14.2	14.2	10.9	
24XL037M3FA8	24	3F	8	38.8	38.3	44	14.2	14.2	10.9	
28XL037M3FA8	28	3F	8	45.36	44.8	51	14.2	14.2	10.9	
30XL037M3FA8	30	3F	8	48.5	48	54	14.2	14.2	10.9	
10XL037M6A6	10	6	6	16.2	15.7		14.3	20.6	9.5	11
11XL037M6A6	11	6	6	17.8	17.3		14.3	20.6	9.5	13
12XL037M6A6	12	6	6	19.4	18.9		14.3	20.6	9.5	14
14XL037M6A8	14	6	8	22.6	22.1		14.3	20.6	9.5	16
15XL037M6A8	15	6	8	24.3	23.7		14.3	22.2	9.5	17
16XL037M6A8	16	6	8	25.9	25.4		14.3	22.2	9.5	19
18XL037M6A8	18	6	8	29.1	28.6		14.3	22.2	9.5	22
20XL037M6A8	20	6	8	32.3	31.8		14.3	23.8	9.5	24
22XL037M6A8	22	6	8	35.6	35.1		14.3	23.8	9.5	27
24XL037M6A8	24	6	8	38.8	38.3		14.3	23.8	9.5	30
28XL037M6A8	28	6	8	45.3	44.8		14.3	23.8	9.5	32
30XL037M6A10	30	6	10	48.5	48		14.3	23.8	9.5	35
32XL037M6A10	32	6	10	51.7	51.2		14.3	25.4	9.5	38
36XL037M6A10	36	6	10	58.2	57.7		14.3	25.4	9.5	38
40XL037M6A10	40	6	10	64.7	64.2		14.3	25.4	9.5	38
42XL037M6A10	42	6	10	67.9	67.4		14.3	25.4	9.5	38
44XL037M6A10	44	6	10	71.1	70.6		14.3	25.4	9.5	38

48XL037M6A12	48	6	12	77.6	77.1		14.3	25.4	9.5	38
60XL037M6WA12	60	6W	12	97	96.5		14.3	25.4	9.5	38
72XL037M6WA12	72	6W	12	116.4	115.9		14.3	25.4	9.5	38

J) Tooth Style :-AT 10 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
31AT10/18-2	18	6F	10	57.29	55.45	60.3	22	31	16	40
31AT10/20-2	20	6F	12	63.65	61.8	66.7	22	31	16	46
31AT10/22-2	22	6F	12	70.03	68.15	73	22	31	16	50
31AT10/24-2	24	6F	12	76.39	74.55	82	22	31	16	58
31AT10/25-2	25	6F	12	79.58	77.75	82	22	31	16	60
31AT10/27-2	27	6F	12	85.95	84.1	90.6	22	31	16	60
31AT10/30-2	30	6F	12	95.49	93.65	99	22	31	16	60
31AT10/32-2	32	6F	12	101.86	100	108	22	31	16	65
31AT10/36-2	36	6F	16	114.59	112.75	118	22	31	16	70
31AT10/40-2	40	6F	16	127.32	125.45	131	22	31	16	80
31AT10/44-2	44	6F	16	140.05	138.2	144	22	31	16	90
31AT10/48-0	48	6	16	152.78	150.95		22	31	16	95
31AT10/60-0	60	6	16	190.98	189.1		22	31	16	110

K) Tooth Style :-AT 10 mm pitch Width of Belt:- 25 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
42AT10/18-2	18	6F	10	57.29	55.45	60.3	32	42	25	40
42AT10/20-2	20	6F	12	63.65	61.8	66.7	32	42	25	46
42AT10/22-2	22	6F	12	70.03	68.15	73	32	42	25	50
42AT10/24-2	24	6F	12	76.39	74.55	82	32	42	25	58
42AT10/25-2	25	6F	12	79.58	77.75	83	32	42	25	60
42AT10/27-2	27	6F	12	85.95	84.1	90.6	32	42	25	60
42AT10/30-2	30	6F	12	95.49	93.65	99	32	42	25	60
42AT10/32-2	32	6F	12	101.86	100	108	32	42	25	65
42AT10/36-2	36	6F	16	114.59	112.75	118	32	42	25	70

42AT10/40-2	40	6F	16	127.32	125.45	131	32	42	25	80
42AT10/44-2	44	6F	16	140.05	138.2	144	32	42	25	90
42AT10/48-0	48	6	16	152.78	150.95		32	42	25	95
42AT10/60-0	60	6	16	190.98	189.1		32	42	25	110

L) Tooth Style :-AT 10 mm pitch Width of Belt:- 32 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
47AT10/18-2	18	6F	10	57.29	55.45	60.3	38	47	32	40
47AT10/20-2	20	6F	12	63.65	61.8	66.7	38	47	32	46
47AT10/22-2	22	6F	12	70.03	68.15	73	38	47	32	50
47AT10/24-2	24	6F	12	76.39	74.55	82	38	47	32	58
47AT10/25-2	25	6F	12	79.58	77.75	82	38	47	32	60
47AT10/27-2	27	6F	12	85.95	84.1	90.6	38	47	32	60
47AT10/30-2	30	6F	12	95.49	93.65	99	38	47	32	60
47AT10/32-2	32	6F	12	101.86	100	108	38	47	32	65
47AT10/36-2	36	6F	16	114.59	112.75	118	38	47	32	70
47AT10/40-2	40	6F	16	127.32	125.45	131	38	47	32	80
47AT10/44-2	44	6F	16	140.05	138.2	144	38	47	32	90
47AT10/48-0	48	6	16	152.78	150.95		38	47	32	95
47AT10/60-0	60	6	16	190.98	189.1		38	47	32	110

M) Tooth Style :-AT 10 mm pitch Width of Belt:- 50 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
66AT10/18-2	18	6F	10	57.29	55.45	60.3	57	66	50	40
66AT10/20-2	20	6F	12	63.65	61.8	66.7	57	66	50	46
66AT10/22-2	22	6F	12	70.03	68.15	73	57	66	50	50
66AT10/24-2	24	6F	12	76.39	74.55	82	57	66	50	58
66AT10/25-2	25	6F	12	79.58	77.75	82	57	66	50	60
66AT10/27-2	27	6F	12	85.95	84.1	90.6	57	66	50	60
66AT10/30-2	30	6F	12	95.49	93.65	99	57	66	50	60
66AT10/32-2	32	6F	12	101.86	100	108	57	66	50	65

66AT10/36-2	36	6F	16	114.59	112.75	118	57	66	50	70
66AT10/40-2	40	6F	16	127.32	125.45	131	57	66	50	80
66AT10/44-2	44	6F	16	140.05	138.2	144	57	66	50	90
66AT10/48-0	48	6	16	152.78	150.95		57	66	50	95
66AT10/60-0	60	6	16	190.98	189.1		57	66	50	110

N) Tooth Style :-AT 5 mm pitch Width of Belt:- 10 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
21AT5/12-2	12	6F		19.1	17.85	22.2	15	21	10	12
21AT5/14-2	14	6F		22.28	21.05	25.4	15	21	10	14
21AT5/15-2	15	6F	6	23.87	22.65	27	15	21	10	16
21AT5/16-2	16	6F	6	25.46	24.2	30	15	21	10	18
21AT5/18-2	18	6F	6	28.65	27.4	33	15	21	10	20
21AT5/20-2	20	6F	6	31.83	30.6	35	15	21	10	24
21AT5/22-2	22	6F	6	35.01	33.85	38	15	21	10	25
21AT5/24-2	24	6F	6	38.2	37	41.3	15	21	10	26
21AT5/25-2	25	6F	6	39.79	38.6	43	15	21	10	26
21AT5/26-2	26	6F	6	41.38	40.2	44.5	15	21	10	26
21AT5/27-2	27	6F	8	42.97	41.8	46	15	21	10	30
21AT5/30-2	30	6F	8	47.75	46.55	51	15	21	10	34
21AT5/32-2	32	6F	8	50.93	49.7	54	15	21	10	38
21AT5/36-2	36	6F	8	57.3	56.05	60.3	15	21	10	38
21AT5/40-2	40	6F	8	63.66	62.45	66.7	15	21	10	40
21AT5/44-0	44	6	8	70.03	68.8		15	21	10	50
21AT5/48-0	48	6	8	76.39	75.15		15	21	10	50
21AT5/60-0	60	6	8	95.49	94.25		15	21	10	65

O) Tooth Style :-AT 5 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
27AT5/12-2	12	6F		19.1	17.85	22.2	21	27	16	12
27AT5/14-2	14	6F		22.28	21.05	25.4	21	27	16	14

27AT5/15-2	15	6F	6	23.87	22.65	27	21	27	16	16
27AT5/16-2	16	6F	6	25.46	24.2	30	21	27	16	18
27AT5/18-2	18	6F	6	28.65	27.4	33	21	27	16	20
27AT5/20-2	20	6F	6	31.83	30.6	35	21	27	16	24
27AT5/22-2	22	6F	6	35.01	33.85	38	21	27	16	25
27AT5/24-2	24	6F	6	38.2	37	41.3	21	27	16	26
27AT5/25-2	25	6F	6	39.79	38.6	43	21	27	16	26
27AT5/26-2	26	6F	6	41.38	40.2	44.5	21	27	16	26
27AT5/27-2	27	6F	8	42.97	41.8	46	21	27	16	30
27AT5/30-2	30	6F	8	47.75	46.55	51	21	27	16	34
27AT5/32-2	32	6F	8	50.93	49.7	54	21	27	16	38
27AT5/36-2	36	6F	8	57.3	56.05	60.3	21	27	16	38
27AT5/40-2	40	6F	8	63.66	62.45	66.7	21	27	16	40
27AT5/44-0	44	6	8	70.03	68.8		21	27	16	50
27AT5/48-0	48	6	8	76.39	75.15		21	27	16	50
27AT5/60-0	60	6	8	95.49	94.25		21	27	16	65

P) Tooth Style :-AT 5 mm pitch Width of Belt:- 25 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
38AT5/12-2	12	6F		19.1	17.85	22.2	32	38	25	12
38AT5/14-2	14	6F		22.28	21.05	25.4	32	38	25	14
38AT5/15-2	15	6F	6	23.87	22.65	27	32	38	25	16
38AT5/16-2	16	6F	6	25.46	24.2	30	32	38	25	18
38AT5/18-2	18	6F	6	28.65	27.4	33	32	38	25	20
38AT5/20-2	20	6F	6	31.83	30.6	35	32	38	25	24
38AT5/22-2	22	6F	6	35.01	33.85	38	32	38	25	25
38AT5/24-2	24	6F	8	38.2	37	41.3	32	38	25	26
38AT5/25-2	25	6F	8	39.79	38.6	43	32	38	25	26
38AT5/26-2	26	6F	8	41.38	40.2	44.5	32	38	25	26
38AT5/27-2	27	6F	8	42.97	41.8	46	32	38	25	30
38AT5/30-2	30	6F	8	47.75	46.55	51	32	38	25	34
38AT5/32-2	32	6F	8	50.93	49.7	54	32	38	25	38
38AT5/36-2	36	6F	8	57.3	56.05	60.3	32	38	25	38
38AT5/40-2	40	6F	8	63.66	62.45	66.7	32	38	25	40

38AT5/44-0	44	6	8	70.03	68.8		32	38	25	50
38AT5/48-0	48	6	8	76.39	75.15		32	38	25	50
38AT5/60-0	60	6	8	95.49	94.25		32	38	25	65
38AT5/72-0	72	6	10	114.62	113.35		32	38	25	80

Q) Tooth Style :-T 10 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
31T10/14-2	14	6F	8	44.56	42.7	48.4	21	31	16	32
31T10/15-2	15	6F	8	47.75	45.9	51.6	21	31	16	32
31T10/16-2	16	6F	8	50.93	49.1	54	21	31	16	35
31T10/18-2	18	6F	8	57.29	55.45	60.3	21	31	16	40
31T10/19-2	19	6F	8	60.48	58.65	63.5	21	31	16	44
31T10/20-2	20	6F	8	63.66	61.8	66.7	21	31	16	46
31T10/24-2	24	6F	8	76.39	74.55	78.6	21	31	16	58
31T10/25-2	25	6F	8	79.58	77.75	82	21	31	16	60
31T10/27-2	27	6F	8	85.95	84.1	90.6	21	31	16	60
31T10/30-2	30	6F	8	95.49	93.65	99	21	31	16	60
31T10/32-2	32	6F	10	101.86	100	108	21	31	16	65
31T10/36-2	36	6F	10	114.59	112.75	118	21	31	16	70
31T10/40-2	40	6F	10	127.32	125.45	131	21	31	16	80
31T10/48-0	48	6	16	152.78	150.95		21	31	16	95
31T10/60-0	60	6	16	190.98	189.15		21	31	16	110

R) Tooth Style :-T 10 mm pitch Width of Belt:- 25 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
40T10/14-2	14	6F	8	44.56	42.7	48.4	30	40	25	32
40T10/15-2	15	6F	8	47.75	45.9	51.6	30	40	25	32
40T10/16-2	16	6F	8	50.93	49.1	54	30	40	25	35
40T10/18-2	18	6F	8	57.29	55.45	60.3	30	40	25	40
40T10/19-2	19	6F	8	60.48	58.65	63.5	30	40	25	44
40T10/20-2	20	6F	8	63.66	61.8	66.7	30	40	25	46

40T10/24-2	24	6F	8	76.39	74.55	78.6	30	40	25	58
40T10/25-2	25	6F	8	79.58	77.75	82	30	40	25	60
40T10/27-2	27	6F	8	85.95	84.1	90.6	30	40	25	60
40T10/30-2	30	6F	8	95.49	93.65	99	30	40	25	60
40T10/32-2	32	6F	10	101.86	100	108	30	40	25	65
40T10/36-2	36	6F	10	114.59	112.75	118	30	40	25	70
40T10/40-2	40	6F	10	127.32	125.45	131	30	40	25	80
40T10/48-0	48	6	16	152.78	150.95		30	40	25	95
40T10/60-0	60	6	16	190.98	189.15		30	40	25	110

S) Tooth Style :-T 10 mm pitch Width of Belt:- 32 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
47T10/18-2	18	6F	10	57.29	55.45	60.3	37	47	32	40
47T10/19-2	19	6F	10	60.48	58.65	63.5	37	47	32	44
47T10/20-2	20	6F	12	63.66	61.8	66.7	37	47	32	46
47T10/24-2	24	6F	12	76.39	74.55	82	37	47	32	58
47T10/25-2	25	6F	21	79.58	77.75	82	37	47	32	60
47T10/27-2	27	6F	12	85.95	84.1	9.6	37	47	32	60
47T10/30-2	30	6F	12	95.49	93.65	99	37	47	32	60
47T10/32-2	32	6F	12	101.86	100	108	37	47	32	65
47T10/36-2	36	6F	16	114.59	112.75	118	37	47	32	70
47T10/40-2	40	6F	16	127.32	125.45	131	37	47	32	80
47T10/48-0	48	6	16	152.78	150.95		37	47	32	95
47T10/60-0	60	6	16	190.98	189.15		37	47	32	110

T) Tooth Style :-T 10 mm pitch Width of Belt:- 50 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
66T10/18-2	18	6F	10	57.29	55.45	60.3	56	66	50	40
66T10/19-2	19	6F	10	60.48	58.65	63.5	56	66	50	44
66T10/20-2	20	6F	12	63.66	61.8	66.7	56	66	50	46
66T10/24-2	24	6F	12	76.39	74.55	82	56	66	50	58

66T10/25-2	25	6F	12	79.58	77.75	82	56	66	50	60
66T10/27-2	27	6F	12	85.95	84.1	90.6	56	66	50	60
66T10/30-2	30	6F	12	95.49	93.65	99	56	66	50	60
66T10/32-2	32	6F	12	101.86	100	105	56	66	50	65
66T10/36-2	36	6F	16	114.59	112.75	118	56	66	50	70
66T10/40-2	40	6F	16	127.32	125.45	131	56	66	50	80
66T10/60-0	60	6	16	190.98	189.15		56	66	50	110
66T10/48-0	48	6	16	152.78	150.95		56	66	50	95

U) Tooth Style :-T 2.5 mm pitch Width of Belt:- 6 mm										
Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
16T2.5/12-2	12	6C	3	9.6	9	13	10	16	6	13
16T2.5/14-2	14	6C	3	11.2	10.6	15	10	16	6	15
16T2.5/15-2	15	6C	3	12	11.4	15	10	16	6	15
16T2.5/16-2	16	6C	3	12.8	12.2	16	10	16	6	16
16T2.5/18-2	18	6F	4	14.4	13.8	18	10	16	6	9
16T2.5/19-2	19	6F	4	15.2	14.6	18	10	16	6	10
16T2.5/20-2	20	6F	4	16	15.4	20	10	16	6	11
16T2.5/22-2	22	6F	4	17.6	17	23	10	16	6	11
16T2.5/24-2	24	6F	4	19.15	18.55	23	10	16	6	12
16T2.5/25-2	25	6F	4	19.95	19.35	24	10	16	6	13
16T2.5/26-2	26	6F	4	20.75	20.15	26	10	16	6	14
16T2.5/28-2	28	6F	4	22.35	21.75	26	10	16	6	14
16T2.5/30-2	30	6F	6	23.95	23.35	30	10	16	6	16
16T2.5/32-2	32	6F	6	25.55	24.95	32	10	16	6	16
16T2.5/36-2	36	6F	6	28.75	28.15	36	10	16	6	20
16T2.5/40-2	40	6F	6	31.9	31.3	37.5	10	16	6	22
16T2.5/44-0	44	6	6	35.1	34.5		10	16	6	24
16T2.5/48-0	48	6	6	38.3	37.7		10	16	6	26
16T2.5/60-0	60	6	8	47.85	47.25		10	16	6	34

V) Tooth Style :-T 5 mm pitch Width of Belt:- 10 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
21T5/10-2	10	6F	4	16.05	15.05	20	15	21	10	8
21T5/12-2	12	6F	4	19.25	18.25	22.2	15	21	10	12
21T5/14-2	14	6F	4	22.45	21.45	25.4	15	21	10	14
21T5/15-2	15	6F	6	24.05	23.05	27	15	21	10	16
21T5/16-2	16	6F	6	25.6	24.6	30	15	21	10	18
21T5/18-2	18	6F	6	28.8	27.8	33	15	21	10	20
21T5/19.2	19	6F	6	30.4	29.4	33.3	15	21	10	22
21T5/20-2	20	6F	6	32	31	35	15	21	10	24
21T5/22-2	22	6F	6	35.25	34.25	38	15	21	10	25
21T5/24-2	24	6F	6	38.4	37.4	41.3	15	21	10	26
21T5/25-2	25	6F	6	40	39	43	15	21	10	26
21T5/26-2	26	6F	6	41.6	40.6	44.5	15	21	10	26
21T5/27-2	27	6F	8	43.2	42.2	46	15	21	10	30
21T5/30-2	30	6F	8	47.76	46.95	51	15	21	10	34
21T5/32-2	32	6F	8	50.94	50.1	54	15	21	10	38
21T5/36-2	36	6F	8	57.31	56.45	60.3	15	21	10	38
21T5/40-2	40	6F	8	63.66	62.85	66.7	15	21	10	40
21T5/60-0	60	6	8	95.52	94.65		15	21	10	65

W) Tooth Style :-T 5 mm pitch Width of Belt:- 16 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
27T5/10-2	10	6F	4	16.05	15.05	20	21	27	16	8
27T5/12-2	12	6F	4	19.25	18.25	22.2	21	27	16	12
27T5/14-2	14	6F	4	22.45	21.45	25.4	21	27	16	14
27T5/15-2	15	6F	6	24.05	23.05	27	21	27	16	16
27T5/16-2	16	6F	6	25.6	24.6	30	21	27	16	18
27T5/18-2	18	6F	6	28.8	27.8	33	21	27	16	20
27T5/19-2	19	6F	6	30.4	29.4	33.3	21	27	16	22
27T5/20-2	20	6F	6	32	31	35	21	27	16	24
27T5/22-2	22	6F	6	35.25	34.25	38	21	27	16	25

27T5/24-2	24	6F	6	38.4	37.4	41.3	21	27	16	26
27T5/25-2	25	6F	6	40	39	43	21	27	16	26
27T5/26-2	26	6F	6	41.6	40.6	44.5	21	27	16	26
27T5/27-2	27	6F	8	43.2	42.2	46	21	27	16	30
21T5/48-0	48	6	8	76.42	75.55		15	21	10	50
27T5/30-2	30	6F	8	47.95	46.95	51	21	27	16	34
27T5/32-2	32	6F	8	51.1	50.1	54	21	27	16	38
27T5/36-2	36	6F	8	57.45	56.45	60.3	21	27	16	38
27T5/40-2	40	6F	8	63.85	62.85	66.7	21	27	16	40
27T5/48-0	48	6	8	76.55	75.55		21	27	16	50
27T5/60-0	60	6	8	95.65	94.65		21	27	16	65

X) Tooth Style :-T 5 mm pitch Width of Belt:- 25 mm

Product Number	Teeth	Type	Bore (mm)	P.D. (mm)	O.D. (mm)	Flange Dia (mm)	Face Width (mm)	O.A.L. (mm)	Pulley Belt Width (mm)	Hub Dia (mm)
36T5/10-2	10	6F	6	16.05	15.05	20	30	36	25	8
36T5/12-2	12	6F	6	19.25	18.25	22.2	30	36	25	12
36T5/14-2	14	6F	6	22.45	21.45	25.4	30	36	25	14
36T5/15-2	15	6F	6	24.05	23.05	27	30	36	25	16
36T5/16-2	16	6F	6	25.6	24.6	30	30	36	25	18
36T5/18-2	18	6F	6	28.8	27.8	33	30	36	25	20
36T5/19-2	19	6F	6	30.4	29.4	33.3	30	36	25	22
36T5/20-2	20	6F	6	21	31	35	30	36	25	24
36T5/22-2	22	6F	6	35.25	34.25	38	30	36	25	25
36T5/24-2	24	6F	6	38.4	37.4	41.3	30	36	25	26
36T5/25-2	25	6F	6	40	39	43	30	36	25	26
36T5/26-2	26	6F	6	41.6	40.6	44.5	30	36	25	26
36T5/27-2	27	6F	8	43.2	42.2	46	30	36	25	30
36T5/30-2	30	6F	8	47.95	46.95	51	30	36	25	34
36T5/32-2	32	6F	8	51.1	50.1	54	30	36	25	38
36T5/36-2	36	6F	8	57.45	56.45	60.3	30	36	25	38
36T5/40-2	40	6F	8	63.85	62.85	66.7	30	36	25	40
36T5/48-0	48	6	8	76.55	75.55		30	36	25	50
36T5/60-0	60	6	8	95.65	94.65		30	36	25	65

CANTO ENGINEERING COMPANY

Reliable Engineering Partner

Regd.Off. And Factory Works :-

4/384,Opp.Vitthal Mandir,Gaon Bhag,Ichalkaranji

Dist.Kolhapur,State:Maharashtra,

PIN-416 115,INDIA

Tel.+91-230-242 44 43 ; Fax.:+91-230-242 63 44

E-mail: cantoengg@gmail.com

Pune Branch:

First Floor,Dev-Vrat Apartments,

268,Shukrawar Peth

Pune,State:Maharashtra

PIN-411002,INDIA

E-mail: sales.canto@gmail.com

OUR Distributors located at all major Industrial towns in India such as Bangalore,Mumbai,Delhi,Chennai,Hyderabad,Jamshedpur,Rajkot,Ahemedabad